NORR TAMPA

NOAA - National Weather Service


Tampa Bay Area 2525 14th Avenue SE, Ruskin, Florida 33570 813-645-2323 https://weather.gov/tampabay

September 2023 Climate Summary for West Central and Southwest Florida

Temperatures this September averaged from slightly below normal to almost 2 degrees above normal with several sites ending up in the Top Ten Warmest for September.

SEPTEMBER TEMPERATURE (°F):

Location	September 2023 Rank Avo	3 g Temp	Normal Sep Temp	Dep fm Normal	Records Began
Hocación	Nank Av	y remp	sep remp	NOTHIAL	Degan
Plant City	2nd Warmest	84.0°	82.2°	+1.8°	Sep 1892
Punta Gorda Area	3rd Warmest	83.9°	82.1°	+1.8°	May 1914
Tampa Area	3rd Warmest(tie)	83.8°	82.7°	+1.1°	Apr 1890
Fort Myers Area	3rd Warmest(tie)	83.7°	82.2°	+1.5°	Jan 1902
St Petersburg Area	9th Warmest(tie)	83.7°	82.5°	+1.2°	Aug 1914
Venice	8th Warmest(tie)	83.0°	81.6°	+1.4°	May 1955
Lakeland Area	3rd Warmest(tie)	82.9°	81.7°	+1.2°	Jan 1915
Sarasota-Bradenton Area	4th Warmest	82.8°	82.2°	+0.6°	Jan 1911
Winter Haven Area	58th Coolest	82.0°	82.5	-0.5	Mar 1941
Archbold Bio Stn	6th Warmest(tie)	81.2°	80.7°	+0.5°	Jan 1969
Bartow	49th Warmest(tie)	81.1°	80.7°	+0.4	Jun 1892
St. Leo	39th Warmest(tie)	80.7°	79.8°	+0.9°	Apr 1895
Brooksville Area	26st Warmest(tie)	80.6°	79.8°	+0.8°	Jan 1892




Graphics Source: NOAA Regional Climate Centers


Contact: Paul Close, Paul.Close@noaa.gov Date: 10/03/2023

As for rainfall the trend of mostly below normal near the coast and above normal across the interior persisted with sites such as Sarasota-Bradenton and Venice continuing to have their Driest Year-to-Date.

SEPTEMBER RAINFALL (inches):

	Septer	nber 2023	Normal	Dep fm	Records
Location	Rank	Rain Total	Sep Rain	Normal	Began
Brooksville Area	45th Wette	est 7.76	5.79	+1.97	Jan 1892
Bartow	53rd Wette		7.31	+0.36	Jun 1892
Winter Haven Area	27th Wette	est 7.39	5.31	+2.08	Mar 1941
Fort Myers Area	54th Dries	st(tie) 7.15	9.00	-1.85	Jan 1902
Punta Gorda Area	47th Wette	est 7.39	6.87	+0.52	May 1914
Tampa Area	66th Dries	st 5.97	6.09	-0.12	Apr 1890
Archbold Bio Stn	23rd Dries	st 5.75	7.17	-1.42	Jan 1969
St. Petersburg Area	17th Dries	3.72	6.66	-2.94	Aug 1914
Venice	9th Dries	3.58	7.16	-3.58	May 1955
St. Leo	8th Dries	st 2.11	6.63	-4.52	Apr 1895
Tarpon Springs	6th Dries	2.03	7.03	-5.00	Jan 1892
Sarasota-Bradenton Area	3rd Dries	1.88	6.00	-4.12	Jan 1911
Lakeland Area	7th Dries	st 1.59	7.62	-6.03	Jan 1915
Plant City	8th Dries	st 1.47	6.99	-5.52	Feb 1893





Date: 10/03/2023

Contact: Paul Close, Paul.Close@noaa.gov

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Septembers at some official NWS locations, which includes the average/total for this September where available and the 1991-2020 Normal (average) temperature and rainfall for the month of September.

CHIEFLAND 5 ESE (records began in July 1956):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 83.2 in 2018	1 75.8 in 1967	1 21.39 in 2004	1 0.43 in 2019
2 81.6 in 2019	2 76.1 in 1969	2 20.12 in 1988	2 0.86 in 1972
3 81.0 in 2016	76.1 in 1956	3 16.04 in 1964	3 1.06 in 1968
81.0 in 1970	4 76.3 in 2001	4 14.77 in 1998	4 1.10 in 2008
5 80.8 in 1986	5 76.7 in 2006	5 13.65 in 1983	5 1.23 in 1978
80.8 in 1980	6 76.9 in 1985	6 10.49 in 1979	6 1.74 in 1997
7 80.5 in 2020	7 77.0 in 1994	7 10.18 in 2017	7 1.97 in 1967
80.5 in 1988	77.0 in 1966	8 10.16 in 1989	8 1.99 in 2003
9 80.4 in 1998	9 77.6 in 2008	9 10.11 in 2000	9 2.15 in 1961
80.4 in 1959	77.6 in 1982	10 10.03 in 1966	10 2.20 in 1958

Average Temperature for September 1-28, $2023 = 79.3^{\circ}$ Normal Temperature for September at CHIF1 = 78.5°

Total Rainfall for September 1-28, 2023 = Few Days Missing Normal Rainfall for September at CHIF1 = 5.82 in.

INVERNESS 3 SE (records began in July 1948):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 82.3 in 1954	1 76.8 in 1994	1 16.73 in 2016	1 0.76 in 1961
2 82.2 in 1958	2 77.0 in 2001	2 16.54 in 1950	2 1.07 in 2008
3 82.0 in 1970	3 77.1 in 1997	3 16.49 in 2017	3 1.21 in 1967
4 81.9 in 2019	4 77.3 in 1956	4 16.27 in 2004	4 1.25 in 1972
5 81.8 in 2020	5 77.7 in 1976	5 15.67 in 2001	5 1.74 in 1954
81.8 in 1974	6 77.9 in 1984	6 15.24 in 1960	6 1.76 in 2012
7 81.7 in 2010	7 78.0 in 1981	7 14.14 in 2021	7 1.80 in 1990
8 81.4 in 2009	8 78.1 in 2006	8 13.15 in 1979	8 1.82 in 2019
9 81.2 in 2018	78.1 in 1983	9 12.23 in 1982	9 1.96 in 1996
81.2 in 1977	10 78.4 in 1996	10 11.92 in 1964	10 2.04 in 2005

Average Temperature for September 2023 = Not Available Yet Normal Temperature for September at $INVF1 = 78.9^{\circ}$

Total Rainfall for September 2023 = Not Available Yet Normal Rainfall for September at INVF1 = 5.81 in.

BROOKSVILLE AREA (records began in January 1892):

Wá	armest	. S€	ep	С	oolest	. S€	ep	W∈	ettest	Seg	Þ	Dı	riest S	Зер	
1	82.8	in	2018	1	77.2	in	2001	1	22.34	in	1950	1	0.48	in	1972
2	82.5	in	1926	2	77.5	in	1894	2	17.32	in	1979	2	0.90	in	2008
3	81.9	in	1906	3	77.6	in	1956	3	15.87	in	1894	3	1.39	in	1910
4	81.8	in	1958	4	77.7	in	1940	4	15.53	in	1912	4	1.69	in	1991
	81.8	in	1925	5	77.8	in	1892	5	15.16	in	1935	5	1.74	in	1990
6	81.7	in	1930	6	77.9	in	1953	6	14.12	in	1988	6	1.90	in	1958
7	81.6	in	1911	7	78.0	in	1983	7	13.88	in	1947	7	2.02	in	1961
8	81.5	in	2019	8	78.1	in	1994	8	13.77	in	1938	8	2.07	in	2019
	81.5	in	2002		78.1	in	1897	9	13.33	in	2016	9	2.09	in	1909
	81.5	in	1991	10	78.2	in	2003	10	12.84	in	1960	10	2.29	in	2007
					78.2	in	1967								
26	80.6	in	2023		78.2	in	1893	45	7.76	in	2023	85	7.76	in	2023
	80.6	in	2009												
	80.6	in	1974												
	80.6	in	1972												
	80.6	in	1954												

Normal Temperature for September at BKV = 79.8° Normal Rainfall for September at BKV = 5.79 in.

ST LEO (records began in April 1895):

Wá	armest Se	ep	Сс	olest	. S€	ер	₩€	ettest	Ser	,	D	riest	Зер	
	83.5 in			76.3				17.44			1			1990
2	82.5 in	2002	2	77.1	in	1935	2	17.38	in	1929	2		in	1972
3	82.3 in	1900		77.1	in	1918	3	17.03	in	1950	3	1.21	in	1978
4	82.2 in	2009	4	77.4	in	1903	4	16.81	in	1912	4	1.76	in	1995
5	82.1 in	2018	5	77.9	in	1927	5	16.52	in	1960	5	1.97	in	2008
6	82.0 in	1944		77.9	in	1917	6	15.07	in	1935	6	2.05	in	1991
7	81.9 in	2008		77.9	in	1914	7	15.01	in	1933	7	2.10	in	1910
	81.9 in	2007	8	78.0	in	1940	8	14.93	in	1949	8	2.11	in	2023
9	81.8 in	2005	9	78.1	in	1897	9	14.70	in	1953	9	2.23	in	2018
	81.8 in	1958	10	78.3	in	1956	10	13.33	in	1982	10	2.24	in	1911
	81.8 in	1951		78.3	in	1920								
• •														
39	80.7 in		84	80.7										
	80.7 in	1999		80.7	in	1999								
	80.7 in	1997		80.7	in	1997								
	80.7 in	1962		80.7	in	1962								
	80.7 in	1961		80.7	in	1961								
	80.7 in	1957		80.7	in	1957								

Normal Temperature for September at STLF1 = 79.8° Normal Rainfall for September at STLF1 = 6.63 in.

TARPON SPRINGS (records began in January 1892):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 84.2 in 2018	1 78.2 in 1894	1 18.13 in 1988	1 0.44 in 2005
2 84.0 in 1925	2 78.4 in 1967	2 15.80 in 2006	2 0.58 in 1972
3 83.5 in 1933	78.4 in 1899	3 15.54 in 1971	3 0.82 in 2008
4 83.2 in 1996	4 78.5 in 1956	4 15.39 in 1935	0.82 in 1921
5 83.0 in 1921	5 78.6 in 1940	5 15.28 in 2014	5 1.97 in 1910
6 82.9 in 1944	78.6 in 1916	6 14.27 in 1911	6 2.03 in 2023
7 82.7 in 2019	7 78.7 in 1900	7 13.21 in 1959	7 2.05 in 1967
82.7 in 1997	78.7 in 1896	8 13.12 in 1898	8 2.16 in 2007
9 82.6 in 1926	78.7 in 1895	9 12.79 in 1983	2.16 in 1952
10 82.3 in 1951	10 78.8 in 1983	10 12.70 in 1960	10 2.65 in 1919
82.3 in 1930	78.8 in 1918		
	78.8 in 1903		

Average Temperature for September 2023 = Few Days Missing/Unrepresentative Normal Temperature for September at TRPF1 = 81.3° Normal Rainfall for September at TRPF1 = 7.03 in.

TAMPA AREA (records began in April 1890):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 85.8 in 2018 2 84.0 in 2019 3 83.8 in 2023 83.8 in 2016	1 77.5 in 1897 2 78.4 in 1914 3 78.5 in 1956 4 78.6 in 1981	1 18.93 in 1912 2 17.28 in 1894 3 13.98 in 1979 4 13.56 in 1988	1 0.79 in 2005 0.79 in 1910 3 1.05 in 1937 4 1.13 in 2010
5 83.4 in 2016 6 83.2 in 2010	78.6 in 1981 78.6 in 1940 6 78.8 in 1903	5 13.29 in 1988 6 13.04 in 1947	4 1.13 in 2010 5 1.28 in 1972 6 1.46 in 2019
83.2 in 1928 8 83.1 in 2021	7 78.9 in 1922 8 79.1 in 1913	7 12.84 in 1997 8 12.40 in 2006	7 1.58 in 1921 8 1.68 in 1904
83.1 in 1944 10 82.9 in 2020	79.1 in 1913 79.1 in 1894 10 79.2 in 2001	9 12.29 in 2022 10 11.76 in 2001	9 1.90 in 1927 10 2.08 in 1915
82.9 in 2005 82.9 in 1958	79.2 in 1967 79.2 in 1899	69 5.97 in 2023	66 5.97 in 2023

Normal Temperature for September at TPA = 82.7° Normal Rainfall for September at TPA = 6.09 in.

ST PETERSBURG (records began in August 1914):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 85.7 in 2005	1 79.0 in 1956	1 25.51 in 1988	1 1.09 in 2019
2 84.8 in 1925	2 79.6 in 1953	2 18.60 in 1953	1.09 in 2008
3 84.4 in 2018	3 79.7 in 2001	3 16.39 in 2001	3 1.40 in 1967
84.4 in 2010	79.7 in 1950	4 14.40 in 1929	4 1.48 in 1972
5 84.3 in 2019	79.7 in 1940	5 14.03 in 1962	5 1.61 in 2010
84.3 in 1933	6 80.0 in 1994	6 13.39 in 1928	6 1.84 in 1990
7 83.8 in 2017	80.0 in 1914	7 13.16 in 2022	7 1.90 in 2005
83.8 in 1970	8 80.2 in 1983	8 13.07 in 1933	8 2.13 in 1915
9 83.7 in 2023 83.7 in 2008	9 80.4 in 1918 10 80.5 in 1947 80.5 in 1917	9 12.63 in 1997 10 12.46 in 2004	9 2.30 in 1944 10 2.35 in 1925
	33.13 <u></u>		17 3.72 in 2023

Normal Temperature for September at SPG = 82.5° Normal Rainfall for September at SPG = 6.66 in.

PLANT CITY (records began in September 1892):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 84.9 in 2018	1 77.7 in 1940	1 18.43 in 1894	1 0.71 in 1972
2 84.0 in 2023	2 77.9 in 1907	2 18.21 in 2004	2 0.75 in 1909
3 83.8 in 2020	3 78.0 in 1932	3 17.09 in 1947	3 0.92 in 2019
83.8 in 2019	78.0 in 1918	4 16.77 in 1998	4 0.97 in 1915
5 83.4 in 2017	5 78.4 in 1933	5 15.42 in 1988	5 1.12 in 1991
6 83.3 in 2022	78.4 in 1931	6 15.18 in 2022	6 1.26 in 1961
7 83.0 in 2021	7 78.6 in 1910	7 15.12 in 1960	7 1.27 in 1937
8 82.9 in 2016	78.6 in 1909	8 14.75 in 1933	8 1.47 in 2023
9 81.8 in 1958	9 78.7 in 1956	9 14.20 in 1979	9 1.50 in 1911
81.8 in 1951	78.7 in 1913	10 13.38 in 1912	10 1.64 in 1990

Normal Temperature for September at PLCF1 = 82.2° Normal Rainfall for September at PLCF1 = 6.99 in.

LAKELAND AREA (records began in January 1915):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 83.8 in 2018	1 78.0 in 1940	1 19.67 in 2004	1 0.31 in 1921
2 83.0 in 1987	2 78.6 in 2001	2 15.52 in 1929	2 0.81 in 1972
3 82.9 in 2023	78.6 in 1947	3 15.47 in 1998	3 0.85 in 2019
82.9 in 2016	4 78.7 in 1967	4 15.18 in 1989	4 1.26 in 1944
82.9 in 1989	78.7 in 1956	5 14.03 in 2022	5 1.45 in 2008
6 82.8 in 1998	6 79.0 in 1953	6 13.75 in 1933	6 1.55 in 1961
7 82.7 in 2020	7 79.1 in 1928	7 13.67 in 2001	7 1.59 in 2023
82.7 in 2019	79.1 in 1918	8 12.99 in 2014	8 2.42 in 1927
82.7 in 2010	9 79.2 in 2006	9 12.33 in 1979	9 2.57 in 1925
82.7 in 1990	79.2 in 1950	10 12.16 in 2017	10 2.59 in 1937

Normal Temperature for September at LLDF1 = 81.7° Normal Rainfall for September at LLDF1 = 7.62 in.

WINTER HAVEN AREA (records began in March 1941):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 85.0 in 2018	1 79.2 in 1976	1 17.26 in 1960	1 1.08 in 2008
2 84.3 in 2019	79.2 in 1968	2 14.79 in 2001	2 1.10 in 1972
3 84.0 in 1989	79.2 in 1956	3 13.46 in 1948	3 1.22 in 1961
4 83.2 in 1991	4 79.4 in 1981	4 12.84 in 2014	4 1.61 in 2005
5 83.1 in 2020	79.4 in 1962	5 12.83 in 1947	5 1.96 in 2015
6 82.9 in 2016	6 79.6 in 2001	6 12.47 in 1979	1.96 in 1952
7 82.6 in 2002	7 79.7 in 1983	7 11.32 in 1987	7 2.16 in 1990
82.6 in 1951	79.7 in 1959	8 10.54 in 2020	8 2.33 in 2009
9 82.5 in 2010	9 79.8 in 1967	9 10.51 in 1998	9 2.35 in 2006
82.5 in 2007	79.8 in 1964	10.51 in 1920	10 2.47 in 1944
82.5 in 1995 25 82.0 in 2023	79.8 in 1947 58 82.0 in 2023	 27 7.39 in 2023	 53 7.39 in 2023

Normal Temperature for September at GIF = 82.5° Normal Rainfall for September at GIF = 5.31 in.

BARTOW (records began in June 1892):

Warmest Sep		С	Coolest Sep			W∈	Wettest		Sep		Driest Sep				
1 8	33.5	in	2014	1	77.0	in	1894	1	25.59	in	2022	1	1.04	in	1972
2 8	33.3	in	1925	2	77.7	in	1913	2	17.24	in	2004	2	1.73	in	2005
3 8	33.2	in	1988	3	77.8	in	1914	3	16.91	in	1894	3	1.76	in	1904
4 8	32.8	in	2018	4	78.1	in	1918	4	16.61	in	1928	4	2.35	in	1942
8	32.8	in	2002	5	78.5	in	1940	5	15.96	in	1998	5	2.41	in	1961
6 8	32.7	in	1987		78.5	in	1916	6	15.77	in	1933	6	2.47	in	1937
7 8	32.6	in	1951	7	78.6	in	1895	7	15.59	in	1960	7	2.51	in	1991
8	32.6	in	1949		78.6	in	1893	8	15.06	in	1979	8	2.52	in	1910
9 8	32.5	in	1958	9	78.9	in	1922	9	14.64	in	1982	9	2.57	in	1990
8	32.5	in	1944	10	79.0	in	1975	10	14.25	in	1947	10	2.87	in	2019
					79.0	in	1967								
					79.0	in	1897	53	7.67	in	2023	75	7.67	in	2023
					79.0										
49 8	31.1	in	2023	70	81.1	in	2023								
			1965		81.1	in	1965								
-	-		1946		81.1										
			1930		81.1										

Normal Temperature for September at BARF1 = 80.7° Normal Rainfall for September at BARF1 = 7.31 in.

SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 84.8 in 2019 2 83.9 in 2016	1 78.2 in 1927 2 78.4 in 1931	1 21.16 in 1962 2 19.14 in 1953	1 1.07 in 2005 2 1.17 in 2010
3 83.2 in 2020	3 78.6 in 1916	3 17.31 in 1928	3 1.88 in 2023
4 82.8 in 2023	4 78.7 in 1940	4 16.92 in 1929	4 1.94 in 2012
5 82.7 in 2007	5 78.9 in 1956	5 16.65 in 1912	5 1.99 in 2019
6 82.6 in 2018	6 79.0 in 2001	6 15.86 in 1926	6 2.02 in 1945
7 82.5 in 1951	79.0 in 1984	7 15.65 in 1960	7 2.27 in 1921
82.5 in 1925	79.0 in 1922	8 15.57 in 1988	8 2.33 in 1984
9 82.3 in 2010	9 79.1 in 1976	9 14.54 in 2022	9 2.37 in 1944
82.3 in 2009	79.1 in 1935	10 14.50 in 1979	10 2.44 in 1972
82.3 in 2005			
82.3 in 1989			

Normal Temperature for September at SRQ = 82.2° Normal Rainfall for September at SRQ = 6.00 in.

VENICE (records began in May 1955):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep			
1 85.4 in 1989	1 78.1 in 1968	1 16.20 in 1960	1 1.39 in 2019			
2 84.5 in 2009	2 78.7 in 1956	2 14.77 in 1962	2 1.72 in 1961			
3 84.1 in 2010	3 78.9 in 1976	3 14.23 in 1983	3 1.84 in 1981			
4 83.6 in 2011	4 79.8 in 1967	4 13.10 in 2013	4 1.93 in 2005			
5 83.4 in 2019	5 79.9 in 2001	5 12.49 in 2003	5 2.22 in 1993			
6 83.2 in 2012	79.9 in 1984	6 12.31 in 1968	6 2.61 in 1986			
7 83.1 in 2018	7 80.1 in 1987	7 12.22 in 2014	7 3.25 in 2011			
8 83.0 in 2023 83.0 in 1998 10 82.9 in 2002	8 80.2 in 1961 80.2 in 1960 10 80.3 in 1985 80.3 in 1983	8 11.96 in 1994 9 11.95 in 1995 10 11.44 in 1975	8 3.43 in 1958 9 3.58 in 2023 10 3.69 in 1965			

Normal Temperature for September at $VNCF1 = 81.6^{\circ}$ Normal Rainfall for September at VNCF1 = 7.16 in.

MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and Rainfall records began in Sep 1943):

Wá	armest Sep	Coolest Sep	Wettest Sep	Driest Sep			
1	83.8 in 2018	1 78.9 in 2001	1 30.78 in 2022	1 1.48 in 2005			
2	82.8 in 2016	78.9 in 1959	2 22.49 in 1962	2 1.66 in 2019			
3	82.6 in 2019	3 79.4 in 1962	3 21.08 in 1979	3 2.29 in 1972			
	82.6 in 2009	4 79.7 in 1976	4 18.10 in 2001	4 2.36 in 1961			
5	82.5 in 2010	79.7 in 1963	5 14.65 in 2014	5 2.40 in 1986			
	82.5 in 1991	6 80.1 in 1994	6 14.04 in 1960	6 2.65 in 2008			
7	82.3 in 2015	80.1 in 1971	7 12.82 in 1957	7 2.74 in 1990			
	82.3 in 1998	80.1 in 1968	8 12.47 in 2018	8 3.76 in 1991			
	82.3 in 1990	9 80.3 in 1984	9 12.12 in 1995	9 4.19 in 1984			
10	82.2 in 2002	80.3 in 1972	10 11.98 in 1982	10 4.24 in 1966			
	82.2 in 1996	80.3 in 1969					
	82.2 in 1993						

Average Temperature for September 2023 = Not Available Yet Normal Temperature for September at MKCF1 = 81.4°

Total Rainfall for September 2023 = Not Available Yet Normal Rainfall for September at MKCF1 = 8.45 in.

WAUCHULA 2 N (records began in January 1933):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep			
1 84.5 in 2009	1 78.1 in 1956	1 29.07 in 2022	1 1.19 in 1961			
2 83.4 in 2008	2 78.4 in 2001	2 18.06 in 1947	2 1.44 in 1972			
3 82.6 in 2018	78.4 in 1953	3 14.38 in 1953	3 1.54 in 2019			
4 82.5 in 2007	4 78.7 in 1940	4 13.91 in 1948	4 1.61 in 1933			
5 82.4 in 1989	5 78.8 in 2012	5 13.83 in 1960	5 1.91 in 2008			
6 82.2 in 1988	6 78.9 in 2013	6 11.77 in 2017	6 2.00 in 1980			
82.2 in 1933	7 79.1 in 1984	7 11.56 in 1979	7 2.21 in 1991			
8 82.0 in 2017	8 79.2 in 1982	8 11.41 in 1962	8 2.70 in 1978			
82.0 in 1974	79.2 in 1947	9 11.33 in 2015	9 3.26 in 1976			
10 81.9 in 2016	10 79.3 in 1981	10 10.95 in 1982	10 3.35 in 1987			
	79.3 in 1968					

Average Temperature for September 1-29, $2023 = 81.1^{\circ}$ Normal Temperature for September at WAUF1 = 80.8°

Total Rainfall for September 1-29, 2023 = 9.20 in. Normal Rainfall for September at WAUF1 = 6.32 in.

ARCHBOLD BIO STN (records began in January 1969):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep			
1 82.3 in 2016	1 78.3 in 1994	1 16.38 in 2022	1 0.70 in 1996			
2 82.0 in 2017	2 78.5 in 2001	2 14.54 in 2017	2 2.04 in 2019			
3 81.8 in 2015	78.5 in 1984	3 14.15 in 1979	3 2.37 in 1983			
4 81.7 in 2018	4 78.6 in 1982	4 12.78 in 2016	4 2.41 in 1988			
5 81.3 in 2020	5 79.0 in 1976	5 12.54 in 2004	5 2.92 in 1980			
6 81.2 in 2023	6 79.3 in 2012	6 11.55 in 2001	6 3.22 in 2008			
81.2 in 1974	79.3 in 1999	7 11.47 in 2014	7 3.30 in 2005			
8 81.1 in 2019	79.3 in 1997	8 10.69 in 2012	8 3.58 in 2011			
81.1 in 2002	79.3 in 1985	9 10.65 in 1982	9 3.67 in 2018			
10 80.9 in 2010 80.9 in 2009 80.9 in 1989	79.3 in 1981 79.3 in 1971	10 9.97 in 1973 33 5.75 in 2023	10 3.79 in 2006 23 5.75 in 2023			

Normal Temperature for September at ACHF1 = 80.7° Normal Rainfall for September at ACHF1 = 7.17 in.

PUNTA GORDA AREA (records began in May 1914):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep			
1 84.6 in 2018	1 78.5 in 1940	1 17.09 in 1959	1 0.93 in 2019			
2 84.2 in 1951	2 78.8 in 2001	2 16.54 in 1929	2 1.23 in 1978			
3 83.9 in 2023	3 79.1 in 1969	3 16.47 in 1962	3 2.94 in 1952			
4 83.0 in 1988	4 79.2 in 1922	4 16.42 in 2022	4 3.33 in 1990			
5 82.9 in 2009	5 79.4 in 1917	5 16.13 in 1947	5 3.36 in 1991			
6 82.8 in 2020	79.4 in 1914	6 14.86 in 1935	6 3.44 in 1987			
82.8 in 1986	7 79.5 in 1956	7 14.17 in 2001	7 3.71 in 1972			
8 82.7 in 2017	79.5 in 1929	8 14.15 in 1928	8 3.74 in 1986			
82.7 in 1933	9 79.9 in 1938	9 14.03 in 1979	9 3.76 in 1965			
10 82.6 in 2011	79.9 in 1928	10 13.77 in 1926	10 3.81 in 1927			
82.6 in 1989		• • •	•••			
		47 7.39 in 2023	63 7.39 in 2023			

Normal Temperature for September at PGD = 82.1° Normal Rainfall for September at PGD = 6.87 in.

FORT MYERS AREA (records began in January 1902):

Warmest Sep			Co	Coolest Sep Wettest Sep				Þ	Driest Sep					
1	84.7 in	1980	1	78.5	in	1917	1	17.35	in	1922	1	1.93	in	1988
2	84.0 in	1996	2	78.7	in	1908	2	17.21	in	2003	2	2.33	in	1972
3	83.7 in	2023		78.7	in	1903	3	16.60	in	1969	3	2.80	in	1961
	83.7 in	1988	4	78.9	in	1922	4	16.45	in	2022	4	2.86	in	2019
5	83.6 in	2019		78.9	in	1909	5	16.32	in	1947	5	3.04	in	1937
	83.6 in	1997	6	79.0	in	1913	6	15.58	in	1953	6	3.07	in	1904
7	83.5 in	1986	7	79.1	in	1902	7	15.44	in	1929	7	3.24	in	1925
	83.5 in	1979	8	79.2	in	1910	8	14.86	in	2008	8	3.39	in	1906
9	83.4 in	1990	9	79.3	in	1976	9	14.54	in	1962	9	3.48	in	1954
10	83.3 in	2022		79.3	in	1918	10	14.49	in	1935	10	3.56	in	1944
	83.3 in	2021		79.3	in	1904						3.56	in	1936
											• •			
							66	7.15	in	2023	54	7.15	in	2023
								7.15	in	2010		7.15	in	2010

Normal Temperature for September at FMY = 82.2° Normal Rainfall for September at FMY = 9.00 in.

For more Climate information visit our web site at the following link: https://www.weather.gov/tampabay and then go to the Climate and Past Weather drop down menu above the graphical forecast images.

Contact: Paul Close, Paul.Close@noaa.gov Date: 10/03/2023